

CS® TRACKS Contract System Heavy duty hand drawn system for medium and heavy draperies.

THE WORLD BEHIND your **DRAPERIES.**

CS® TRACKS Contract System



PRODUCT INFORMATION

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; CS track can be curved and reversed curved using an 8" radius or continuous curve.
- Heavy duty clickable carriers 10 carriers on a breakaway strip UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for ripplefold and accordiafold drapery.
- Recommended maximum fabric weight: 6 lbs per foot depending on application.
- Finish colors available: white, black, brown and silver.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.

1

- Available lengths: 12', 14', 16 ', and 20 '.
- Limited lifetime warranty.

- 1 CS Track
- 2 Carrier
- 3 Master Carrier R/L Overlap
- 4 Master Carrier R/L Underlap
- 5 Carrier
- 6 Endcap with screw



BENDING / CURVING

The track can be curved and reversed curved using a 6" or 8" radius. Continuous curving is also possible with the electrical bending tool. Actual size template is required.





APPLICATIONS



• Weight: 2.53 ounce per ft.

PROFILE






FOR USE IN


Hotels, resorts, offices, universities, and heathcare facilities or at any location where a heavy duty hand drawn system is required.






Easy installation click - position - tighten

clickable carrier




CLICK-ON STIFFNER




CS[®] TRACKS Contract System

MOUNTING BRACKETS

Brackets need to be placed every 24".




Heavy Duty Ceiling Bracket with Smart Klick 3003-XX





6" Smart Klick Double Wall Bracket 53206-XX






WWW.DRAPE.COM (800) 453-7273

 3" Wall Bracket for Wood Poles 3280-XX

 A) 3"
 B) 2 1/2"

 A) 5"
 B) 4 1/2"



6" Double Wall Bracket for Wood Poles 3281-XX A) 6" B) 3 5/8" C) 1 3/4"

A) 6″	B) 3 5/8″	C) 1 3/4"
A) 8″	B) 3 5/8″	C) 3 3/4"

